


RELEXAFLEX METAL LONGLIFE

49" Metal Longlife Hose

MODEL # 28142000

*Pure Freude
an Wasser*



Product Description:
RELEXAFLEX METAL LONGLIFE
49" Metal Longlife Hose

Standard Specification:

- 49"
- Metal
- Longlife
- Strengthened model
- Tensile strength: 750 N
- Pressure resistance: up to 16 bar
- Heat resistance 165°F
- AntiFold bend proof
- Universal connection G 1/2" x 1/2"
- **GROHE StarLight** chrome finish

Color:

□ 28142000 StarLight Chrome

28 143

ROTAFLEX

59" METAL LONGLIFE SHOWER HOSE

*Pure Freude
an Wasser*



STANDARD SPECIFICATION:

- GROHE StarLight®
- 59" Long
- Metal Hose
- Longlife
- Strengthened model
- Tensile strength: 750 N
- Pressure resistance: up to 232psi (16 bar)
- Heat resistance 165°F
- AntiFold bend proof
- 1/2" NPT female threads



PRODUCT FEATURES:



CERTIFICATIONS:

- CSA B125.1
- ASME A112.18.1

AVAILABLE FINISHES:

28143000



GROHE StarLight®
Chrome

28143LS0



Moon White

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

Tel: 1.630.582.7711 Fax: 1.630.582.7722

We reserve the right to make revisions without notice to product specifications.

For the most current Specification Sheet, go to www.grohe.us.

10-27-2021

PART OF **LIXIL**

28 143

ROTAFLEX

59" METAL LONGLIFE SHOWER HOSE

*Pure Freude
an Wasser*




TECHNICAL DATA:

Product Height 0-1/2 in

Product Length 59 in


Product Width 1/2 in



RELEXAFLEX METAL LONGLIFE 79" Metal Hose

MODEL # 28145000

*Pure Freude
an Wasser*



Product Description: RELEXAFLEX METAL LONGLIFE 79" Metal Hose

Standard Specification:

- 79"
- Metal
- Longlife
- Strengthened model
- Tensile strength: 750 N
- Pressure resistance: up to 16 bar
- Heat resistance 165°F
- AntiFold bend proof
- Universal connection G 1/2" x 1/2"
- **GROHE StarLight** chrome finish
- Blister pack

Color:

- 28145000 StarLight Chrome