


TEMPESTA RUSTIC 100 Shower Head 4 Sprays

MODEL # 26045001

Pure Freude
an Wasser

GROHE



Product Description: TEMPESTA RUSTIC 100 Shower Head 4 Sprays

Standard Specification:

- 4 Sprays: GROHE Rain O², Rain, Massage and Jet
- Rotating ball joint ± 15°
- 1/2" Connection thread
- GROHE EcoJoy 1.75 gpm (6.6 l/min) flow limiter
- GROHE DreamSpray perfect spray pattern
- GROHE StarLight chrome finish
- SpeedClean anti-lime system
- Inner WaterGuide for a longer life
- Max Flow Rate: 1.75 gpm (6.6 L/min)
- Min. recommended pressure: 15 psi (1.0 bar)

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- US Federal and State material regulations
- EPA WaterSense®


Color:

- 26045001 StarLight Chrome

SEABURY
Tub Spout with Diverter
MODEL # 13603000

Pure Freude
an Wasser

GROHE



Product Description:
SEABURY
Tub Spout with Diverter

Standard Specification:

- Wall mount
- 3/4" connection thread
- For matching handle caps to replace the standard white caps see item (45 953)
- **GROHE StarLight** chrome finish

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1


Color:

- 13603000 StarLight Chrome

SEABURY
Pressure Balance Valve Trim
MODEL # 19708000

Pure Freude
an Wasser

GROHE



ADA

Product Description:
SEABURY
Pressure Balance Valve Trim

Standard Specification:

- GROHE StarLight chrome finish
- For use with Grohsafe Rough-In Valve (35 015)

Applicable Codes & Standards:


- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1

Color:
 19708000 StarLight Chrome

SEABURY
Shower Arm
MODEL # 27011000

Pure Freude
an Wasser

GROHE



Product Description:
SEABURY
Shower Arm

Standard Specification:

- Escutcheon
- 1/2" Connection thread
- GROHE StarLight chrome finish

Applicable Codes & Standards:

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1

Color:

- 27011000 StarLight Chrome