


Pure Freude
an Wasser




new



FREEDOM OF **FLEXIBILITY**

GROHSAFE™ 3.0 VALVES &
PRESSURE BALANCE TRIMS



FLAWLESSLY DESIGNED TO MAKE EVERY INSTALLATION EASIER

At GROHE, superior quality and flawless design are at the core of everything we do. With that in mind, we've engineered the GrohSafe™ 3.0 Pressure Balance Valve to accommodate every situation. From tight spaces to thin walls, floor or ceiling supply lines, and back-to-back installations, the compact GrohSafe™ 3.0 valve, with flat back and more connection options, offers unmatched versatility on the job. Made of durable DZR brass for exceptional corrosion resistance, the GrohSafe™ 3.0 valve withstands harsh water conditions ensuring superior performance and longevity.

MOMENTS OF TRUTH & FEATURES:



GROHE SILKMOVE®

Smooth, effortless
handle operation



GROHE STARLIGHT®

Durable coating wipes clean,
maintains lustrous finish




GROHE QUICKFIX®

Designed for faster, easier,
hassle-free installation



BLUE CORE


Proof of GROHE quality and
allows plumbers to easily
identify the cartridge



ACCOMMODATES EVERY INSTALLATION YOU ENCOUNTER

Whether the space is tight, spacious, upstairs or down, the GrohSafe™ 3.0 valve works. Its compact size and flat back design guarantee a strong, sturdy installation when mounted on a standard 2x4 cross brace, thin-wall or steel construction. Back-to-back installation is a breeze with the smaller valve and the ability to reverse the cartridge on-site.

Ease of installation is enhanced with a flush plug to simplify flushing and testing, a retaining ring to secure flush plug and cartridge (sold with trim), and a clearly marked plaster guard for accuracy.



**Standard
copper
installation**



**Back to back
installation**

grohe.ca




**Thin wall
installation**




6 SMART SOLUTIONS FOR EVERY SITUATION


Quick, easy installations are essential to meet goals, increase profits and save time. The Grohsafe™ 3.0 Pressure Balance Valves are available in 6 configurations to meet your need for efficiency whether you are working with copper, iron or PEX.




1/2" Universal
inlets/outlets




1/2" PEX crimp
(ASTM F1807)
inlets




1/2" PEX cold expansion
(ASTM F1960) inlets



1/2" Stub-out
inlets/outlets



1/2" PEX crimp
(ASTM F1807)
elbow inlets




1/2" PEX cold expansion
(ASTM F1960) elbow
inlets

NEW INNOVATIONS SIMPLIFY INSTALLATIONS

PEX ELBOW CONNECTIONS

new

Valve can be easily rotated to accommodate supply lines from either floor or ceiling.



Supply lines from floor



Supply lines from ceiling



STUB-OUT CONNECTIONS

new

Easily connect press-connect fittings directly to the valve without any special adapters.



DOUBLE CERAMIC DESIGN FOR A LIFETIME OF DEPENDABILITY

The double ceramic technology housed within our 1-piece cartridge is small by design but powerful in performance. Precision crafted, the mixing discs work flawlessly to deliver the perfect blend of hot and cold water at the desired temperature while the pressure balancing spool reacts quickly to changes in water pressure to prevent scalding.

This impressive duo, made of high-grade ceramic, resists mineral build-up and harsh water conditions, ensuring consistently smooth operation for life.

1-Piece Pressure Balance Cartridge with Double Ceramic Technology



CERAMIC PRESSURE BALANCING SPOOL



- Quick reaction to pressure changes
- Reduces the risk of scalding
- Resists lime and calcium build-up from harsh water conditions

CERAMIC MIXING DISCS



- Precise mixing of hot and cold water
- Leak-free performance for life
- Smooth handle operation
- Resists lime and calcium build-up from harsh water conditions

THE FINISHING TOUCH, THE PERFECT TRIM

Start to finish, GROHE exemplifies premium quality and superior performance. The GROHE trim collection includes the cartridge and fits flawlessly on the Grohsafe™ 3.0 valve. These premium all-metal trims are designed for smooth operation with precise temperature adjustment. Concealed mounting plate ensures a clean, flush installation with no visible screws to obstruct its polished appearance.

CONCEALED MOUNTING

Creates a clean, sophisticated look without visible mounting screws

PRECISE TEMPERATURE ADJUSTMENT

Fine-tune ideal temperature preferences

SNAP-FIT MOUNTING

Ensures a secure, flush fit to the wall

METAL HANDLE & WALL PLATE

Premium quality with a sturdy feel and lasting durability



PRODUCT OVERVIEW

TRIMS

(Trim ships with cartridge)



14 471 000
Allure Brilliant pressure
balance valve trim



14 467 000/EN0
Atrio® pressure balance
valve trim



14 468 000/EN0
Concetto™ pressure
balance valve trim



**14 472 000/A00/
BE0/EN0/GN0**
Essence pressure
balance valve trim



14 469 000
Eurocube® pressure
balance valve trim



14 462 000/EN0
Eurosmart® New pressure
balance valve trim



14 463 000
Eurosmart® Cosmopolitan
pressure balance valve trim



14 464 000
Eurostyle Cosmopolitan
pressure balance valve trim



14 470 000/EN0
Grandera® pressure
balance valve trim



29 330 000/EN0
Lineare™ pressure balance
valve trim



29 331 003/EN3
Plus™ pressure balance
valve trim



Colour options:

● 00 | StarLight Chrome
● EN | Brushed Nickel

● A0 | Hard Graphite
● GN | Brushed Cool Sunrise

● BE | Polished Nickel

VALVES



35 110 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" universal
inlets/outlets



35 111 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" PEX
crimp inlets



35 112 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" PEX
cold expansion inlets



35 113 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" stub-out
inlets/outlets



35 115 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" PEX
crimp elbow inlets



35 116 000
Grohsafe™ 3.0 shower
rough-in valve 1/2" PEX cold
expansion elbow inlets

ACCESSORIES



49 121 000
Pressure balance valve
extension kit



48 491 000
Double ceramic
pressure balance
cartridge



49 123 000
Retaining ring



49 122 000
Service stops



14 127 000
Flush plug



14 140 000
Adaptor kit for GrohSafe™
3.0 pressure balance trims
to GrohSafe™ 2.0 valves



14 139 000
Socket spanner wrench



Follow us



DISCOVER THE WORLD OF GROHE AT WWW.GROHE.CA

QUALITY




From the first design sketch to the final product to after-sales services: Our customers can rely on our engineered in Germany sense of perfectionism.

TECHNOLOGY



We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

DESIGN



Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

SUSTAINABILITY




Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

GROHE America
160 Fifth Avenue, 4th Floor
New York, NY 10010
Tel.: 1-800-444-7643
www.grohe.us

LIXIL Canada Inc.
5900 Avebury Road
Mississauga, Ontario, L5R 3M3
Tel.: 1-888-644-7643
info@grohe.ca
www.grohe.ca

© 07/2020 LIXIL Canada Inc.



PART OF **LIXIL**