


RELEXAFLEX
69" Metal Hose
MODEL # 28139000

Pure Freude
an Wasser

GROHE



Product Description:

RELEXAFLEX
69" Metal Hose

Standard Specification:

- 69"
- Metal
- Tensile strength 500 N
- Pressure resistance up to 5 bar
- Heat resistance 160°F
- AntiFold bend proof
- Universal connection G 1/2" x 1/2"
- **GROHE StarLight** chrome finish

Color:

□ 28139000 StarLight Chrome

28 105

RELEXAFLEX

59" METAL SHOWER HOSE

Pure Freude
an Wasser



STANDARD SPECIFICATION:

- GROHE StarLight®
- 59" long
- Metal Hose
- Tensile strength 500 N
- Pressure resistance up to 72psi (5 bar)
- Heat resistance 160°F
- AntiFold bend proof
- 1/2" NPT Female threads



PRODUCT FEATURES:



CERTIFICATIONS:



- ADA
- CSA B125.1
- ASME A112.18.1

AVAILABLE FINISHES:

28105000



GROHE StarLight® Chrome

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

We reserve the right to make revisions without notice to product specifications. 12-07-2021

US

Tel: 1.630.582.7711 Fax: 1.630.582.7722
For the most current Specification Sheet,
go to www.grohe.us.

Canada

Tel: 1.888.644.7643 Fax: 1.905.366.2071
For the most current Specification Sheet,
go to www.grohe.ca.

PART OF **LIXIL**

28 105

RELEXAFLEX


59" METAL SHOWER HOSE

Pure Freude
an Wasser



TECHNICAL DATA:


| | |
|----------------|----------|
| Product Height | 1/2 in |
| Product Length | 1,500 mm |
| Product Width | 1/2 in |



RELEXAFLEX
79" Metal Hose
MODEL # 28140000

Pure Freude
an Wasser

GROHE



Product Description:

RELEXAFLEX
79" Metal Hose

Standard Specification:

- 79"
- Metal
- Tensile strength 500 N
- Pressure resistance up to 5 bar
- Heat resistance 160°F
- AntiFold bend proof
- Universal connection G 1/2" x 1/2"
- **GROHE StarLight** chrome finish

Color:

□ 28140000 StarLight Chrome