

26 046

TEMPESTA® COSMOPOLITAN

100 HAND SHOWER - 2 SPRAYS

Pure Freude
an Wasser






STANDARD SPECIFICATION:

- GROHE StarLight®
- GROHE DreamSpray®
- GROHE EcoJoy®
- Speed Clean® anti-lime system
- 4" Face
- 2 Sprays: Rain, Jet
- 1/2" NPT female threads
- Chrome - white spray face
- Brushed Nickel - charcoal spray face
- Max. flow rate: 1.75gpm (6.6L/min)



PRODUCT FEATURES:

-  GROHE StarLight®
-  GROHE DreamSpray®
-  GROHE EcoJoy™
-  Speed Clean®

CERTIFICATIONS:



- WaterSense
- CEC Certified
- CALGreen Compliant
- Massachusetts Plumbing Board Approved
- CSA B125.1
- ASME A112.18.1

AVAILABLE FINISHES:

26046002



GROHE StarLight®
Chrome

26046EN2



Brushed Nickel
InfinityFinish™

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations.

Tel: 1.630.582.7711 Fax: 1.630.582.7722

We reserve the right to make revisions without notice to product specifications.

For the most current Specification Sheet, go to www.grohe.us.

10-20-2021

PART OF **LIXIL**

26 046

TEMPESTA® COSMOPOLITAN


100 HAND SHOWER - 2 SPRAYS

Pure Freude
an Wasser




TECHNICAL DATA:

Product Height	8-1/16 in
Product Length	5-1/8 in
Product Width	3-15/16 in
GPM (Min)-GPM (Max)	1.75 gal (US)/min



NEW TEMPESTA
COSMOPOLITAN 100
Handshower 2 Sprays
MODEL # 2757120E

Pure Freude
an Wasser



Product Description:
NEW TEMPESTA COSMOPOLITAN 100
Handshower 2 Sprays

Standard Specification:

- 2 Adjustable spray patterns: Rain, Jet
- GROHE EcoJoy 1.5 gpm (5.7 l/min) flow restrictor
- GROHE DreamSpray perfect spray pattern
- GROHE StarLight chrome finish
- SpeedClean anti-lime system
- Inner WaterGuide for a longer life
- Universal mounting system (fits all standard shower hoses)
- Min. recommended pressure: 15 psi (1.0 bar)

Applicable Codes & Standards:

- ASME A112.18.1/CSA B125.1
- EPA WaterSense®

Color:

- 2757120E StarLight Chrome

