


Canada Price List
Effective September 1, 2021



SERENITY™

The complete Shower Drain System



www.serenity.luxury

For Molded (preformed) Shower Bases

Featuring solid Brass construction and designed to fit most popular molded Shower Bases.

Features:

- 4" Round Trim featuring a 3" Threaded Drain Outlet
- Slotted or Flat Trim Inserts - Removable for easy cleaning
- Removable Stainless Steel Hair Catcher supplied with every Trim Top
- Underbody (sold separately) available in ABS, PVC, FR-PVC or Brass in Straight and Side Discharge configurations
- All Underbody's and Slotted Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus Meets UPC" mark. They comply with the requirements of the UPC, IPC and NPC codes.
- All Flat Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus" mark. They comply with the requirements of the IPC and NPC codes.

1 Trim* for Molded (preformed) shower base Suffix



100
Flat Round




150
Slotted Round



Haircatcher
(Included)

2 Finish Suffix†



11
Chrome
Plated



22
Brushed
Nickel



33
Matte
Black



44
White



55
Polished
Nickel



66
Venetian
Bronze



77
Luxe
Bronze



88
Brushed
Gold

Trim* Part # Configurator - (example) BCS.

BCS. .

TRIM SUFFIX
(3 CHAR.)

FINISH SUFFIX
(2 CHAR.)

1

2

Trim* - List Price

Finishes - List Price

STYLE	PART #	11	22	33	44	55	66	77	88
FLAT ROUND	BCS.100.(FINISH SUFFIX)	\$150.00	\$175.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00
SLOTTED ROUND	BCS.150.(FINISH SUFFIX)	\$150.00	\$175.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00	\$250.00

*See back page for Underbody options - Sold Separately

† Split Finish option available. Contact for pricing.

For Tile Shower Bases

Featuring solid Brass construction and designed for use with Tile Shower Bases.


Features:

- 4" x 4" Square or 4" Round Trim featuring a 2" Threaded Drain Outlet
- Slotted or Flat Trim Inserts - Removable for easy cleaning
- Removable Stainless Steel Hair Catcher supplied with every Trim Top
- Underbody (sold separately) available in ABS, PVC, FR-PVC, Brass or Cast Iron in Straight and Side Discharge configurations
- All Underbody's and Slotted Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus Meets UPC" mark. They comply with the requirements of the UPC, IPC and NPC codes.
- All Flat Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus" mark. They comply with the requirements of the IPC and NPC codes.


1 Trim* for Tile shower base Suffix



2 Finish Suffix



Trim* Part # Configurator - (example) BCS.102.11



Trim* - List Price

STYLE	PART #	Finishes - List Price							
		11	22	33	44	55	66	77	88
FLAT ROUND	BCS.102.(FINISH SUFFIX)	\$160.00	\$180.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00
FLAT SQUARE	BCS.202.(FINISH SUFFIX)	\$160.00	\$180.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00
SLOTTED ROUND	BCS.152.(FINISH SUFFIX)	\$160.00	\$180.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00
SLOTTED SQUARE	BCS.252.(FINISH SUFFIX)	\$160.00	\$180.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00	\$260.00

*See back page for Underbody options - Sold Separately

Hex Drain Trim For Tile Shower Bases

Featuring solid Brass construction and designed for use with Tile Shower Bases.

Features:

- 5-3/4" x 5-3/4" Hexagonal Trim featuring a 2" Threaded Drain Outlet
- Flat Trim Insert is removable for easy cleaning
- Removable Stainless Steel Hair Catcher supplied with every Trim Top
- Underbody (sold separately) available in ABS, PVC, FR-PVC, Brass or Cast Iron in Straight and Side Discharge configurations.
- All Underbody's and Slotted Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus Meets UPC" mark. They comply with the requirements of the UPC, IPC and NPC codes.
- All Flat Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus" mark. They comply with the requirements of the IPC and NPC codes.

1 Trim* for Tile shower base Suffix



BCS.502.11
Chrome
Plated



BCS.502.22
Brushed
Nickel



BCS.502.33
Matte
Black




BCS.502.88
Brushed
Gold



Haircatcher
(Included)

2 Finish Suffix



11
Chrome
Plated



22
Brushed
Nickel



33
Matte
Black



88
Brushed
Gold

Trim* Part # Configurator - (example) BCS.502.11

BCS.502.

TRIM SUFFIX
(3 CHAR.)

FINISH SUFFIX
(2 CHAR.)

1

2

Trim* - List Price

STYLE	PART #	Finishes - List Price			
		11	22	33	88
HEX Drain Trim for Tile Shower Bases	BCS.502.(FINISH SUFFIX)	\$325.00	\$375.00	\$450.00	\$450.00

*See back page for Underbody options - Sold Separately

Split Finish - For Tile Shower Bases

Featuring solid Brass construction and designed for use with Tile Shower Bases.

Features:


- Featuring a 2" Threaded Drain Outlet
- Removable Insert for easy cleaning
- Mix Trim Body and Trim Insert Finishes for a customized look
- Removable Stainless Steel Hair Catcher supplied with every Trim Top
- Underbody (sold separately) available in ABS, PVC, FR-PVC, Brass or Cast Iron in Straight and Side Discharge configurations
- All Underbody's and Slotted Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus Meets UPC" mark. They comply with the requirements of the UPC, IPC and NPC codes.
- All Flat Trims are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus" mark. They comply with the requirements of the IPC and NPC codes.

1 Split Finish Trim*† for Tile shower base Suffix



102
Flat Round

Example:
BCS.102.33.11
shown




202
Flat Square

Example:
BCS.202.88.33
shown



152
Slotted Round

Example:
BCS.152.44.77
shown



252
Slotted Square


Example:
BCS.252.33.11
shown



502
Flat Hexagonal

11,22,33 & 88 finishes
available only.
Example:
BCS.502.33.11
shown

2 3 Trim Body and Insert Finish Suffix (Can be mixed†)



11
Chrome
Plated



22
Brushed
Nickel



33
Matte
Black



44
White



55
Polished
Nickel



66
Venetian
Bronze



77
Luxe
Bronze




88
Brushed
Gold

Trim* Part # Configurator - (example) BCS.102.33.11

BCS.



TRIM
SUFFIX
(3 CHAR.)



TRIM BODY
FINISH SUFFIX
(2 CHAR.)



TRIM INSERT
FINISH SUFFIX
(2 CHAR.)

1

2

3

Split Finish Trim*† - List Price


STYLE	PART #	List Price
FLAT ROUND	BCS.102.(TRIM BODY SUFFIX).(INSERT FINISH SUFFIX)	\$260.00
FLAT SQUARE	BCS.202.(TRIM BODY SUFFIX).(INSERT FINISH SUFFIX)	\$260.00
SLOTTED ROUND	BCS.152.(TRIM BODY SUFFIX).(INSERT FINISH SUFFIX)	\$260.00
SLOTTED SQUARE	BCS.252.(TRIM BODY SUFFIX).(INSERT FINISH SUFFIX)	\$260.00
FLAT HEXAGONAL	BCS.502.(TRIM BODY SUFFIX).(INSERT FINISH SUFFIX)	\$450.00

* See back page for Underbody options - Sold Separately


† Trim Body and Trim Insert finishes can be mixed or matched

1 Underbody** Suffix

For Molded (preformed) Base (Trim Models 100 & 150 only)
 Washer and Slip Ring included with Underbody for Molded (Preformed) Base



For Tile Base (Trim Models 102, 152, 202, 252, 502 only)



Underbody** Part # Configurator - (example) BCS. 50

BCS.
 UNDERBODY SUFFIX
 (2 CHAR.)

Underbody** - List Price

PART #	DESCRIPTION	List Price
Underbody for Molded (preformed) Bases		
BCS.10	2" ABS Straight for Molded (preformed) Bases	\$8.00
BCS.16	2" PVC Straight* for Molded (preformed) Bases	\$8.00
BCS.25	FRZERO ⁵⁰ 2" FR-PVC Straight for Molded (preformed) Bases	\$38.00
BCS.20	1.5" Brass Side Discharge for Molded (preformed) Bases	\$115.00
BCS.14	2" ABS Side Discharge for Molded (preformed) Bases	\$50.00
BCS.18	2" PVC Side Discharge for Molded (preformed) Bases	\$50.00
BCS.24	2" Brass Side Discharge for Molded (preformed) Bases	\$115.00
Underbody for Tile Bases		
BCS.30	2" ABS Straight for Tile Bases.	\$16.00
BCS.36	2" PVC Straight for Tile Bases.	\$16.00
BCS.59	FRZERO ⁵⁰ 2" FR-PVC Straight for Tile Bases.	\$49.00
BCS.50	1.5" Cast Iron Straight for Tile Bases.	\$40.00
BCS.52	2" Cast Iron Straight for Tile Bases.	\$40.00
BCS.40	1.5" Brass Side Discharge for Tile Bases.	\$135.00
BCS.42	2" Brass Side Discharge for Tile Bases.	\$135.00
Hair Catcher		
SD-HCSS	Stainless Steel Hair Catcher for Molded (preformed) Base	\$12.00
SD-HCSS-2	Stainless Steel Hair Catcher for Tile Base	\$12.00

**All Underbody's are certified to ASME A112.18/2/CSA B125.2 and bear the "cCSAus Meets UPC" mark. They comply with the requirements of the UPC, IPC and NPC codes. See previous pages for Trims - Sold Separately